




301 Howard Street • Suite 950  
San Francisco, CA • 94105  
[address](#)  
(415) 549-7339  
[phone](#)  
labdoor.com  
[site](#)

SAMPLE		CERTIFICATIONS
Manufacturer Name	Scitron	
Product Name	Advance Whey Protein, Milk Chocolate Flavor	
Product Lot	2157K107AJ4	
Expiration Date	6/2024	
Sample Tested	August 2022	
Serving Size	1 scoop (35 g)	

ANALYSIS				
Tested for <b>Accuracy</b>   <b>PASS</b>				
Substance   Active Ingredients	Unit	Claimed	Found	Status
Protein	g/serving	25.5	<b>27.9</b>	●
Free Amino Acids	%	-	<b>&lt;0.01</b>	●
Tested for <b>Purity</b>   <b>PASS</b>				
Substance   Heavy Metals	Unit	Limit <sup>†</sup>	Found	Status
Arsenic	µg/serving	15*	<b>0.459</b>	●
Cadmium	µg/serving	5*	<b>0.921</b>	●
Mercury	µg/serving	15*	<b>0.579</b>	●
Lead	µg/serving	5*	<b>0.17358</b>	●

<sup>†</sup>Daily Limit | \*USP | \*\*LOQ = Limit of Quantitation

Substance   Microbiology	Unit	Limit	Found	Status
Total Plate Count	cfu/g	1000*	60	●
Yeast/Mold	cfu/g	100*	<10	●
Coliforms	cfu/g	-	<10	●
E. Coli	cfu/g	-	Undetected	●
Listeria	cfu/g	-	Undetected	●
Staphylococcus aureus	cfu/g	-	Undetected	●
Salmonella	cfu/g	-	Undetected	●
Shigella	cfu/g	-	Undetected	●

\*USP

● Pass ● Fail ● Acceptable

RELEASE DATE	RELEASED BY	LABORATORY
August 10, 2022	Labdoor	Eurofins

