



500 Capitol Mall • Suite 2350  
Sacramento, CA • 95814  
[address](#)  
(415) 549-7339  
[phone](#)  
[labdoor.com](#)  
[site](#)

SAMPLE		CERTIFICATIONS
Manufacturer Name	Ryos	
Product Name	REFUSEtoAGE	
Product Lot	NAD260114	
Expiration Date	01/2028	
Sample Tested	January 2026	
Serving Size	2 Capsules	

ANALYSIS				
Tested for Accuracy   <b>PASS</b>				
Substance   Active Ingredients	Unit	Claimed	Found	Status
Nicotinamide Riboside Chloride	mg/serving	500	<b>529.1</b>	●

Tested for Purity   <b>PASS</b>				
Substance   Heavy Metals	Unit	Limit <sup>†</sup>	Found	Status
Arsenic	µg/serving	15*	<b>Below LOQ**</b>	●
Cadmium	µg/serving	5*	<b>Below LOQ**</b>	●
Mercury	µg/serving	15*	<b>Below LOQ**</b>	●
Lead	µg/serving	5*	<b>0.022</b>	●

<sup>†</sup>Daily Limit | \*USP | \*\*LOQ = Limit of Quantitation

Substance   Microbiology	Unit	Limit	Found	Status
Total Plate Count	cfu/g	1000*	<100	●
Yeast/Mold	cfu/g	100*	<10	●
Coliforms	cfu/g	-	<10	●
E. Coli	cfu/g	-	<10	●
Staphylococcus aureus	cfu/g	-	<10	●
Salmonella	cfu/g	-	Undetected	●
Shigella	cfu/g	-	Undetected	●

\*USP

● Pass ● Fail ● Greater than 120% Label Claim ● Tested; Not Used in Grading

RELEASE DATE	RELEASED BY	LABORATORY
July 1, 2026	Labdoor	Ethos Analytics

