500 Capitol Mall • Suite 2350
Sacramento, CA • 95814
address

(415) 549-7339
phone

labdoor.com
site

SAMPLE		CERTIFICATIONS
Manufacturer Name	Ryos	
Product Name	REFUSEtoAGE	
Product Lot	H03831	
Expiration Date	XX/20XX	
Sample Tested	September - October 2026	
Serving Size	2 Capsules	

ANALYSIS

Tested for **Accuracy** | **PASS**

Substance | Active Ingredients	**Unit**	**Claimed**	**Found**	**Status**
Nicotinamide Riboside Chloride	mg/serving	500	**506**	●
Trans-Resveratrol	mg/serving	150	**170**	●
Quercetin	mg/serving	50	**157**	●

Tested for **Purity** | **PASS**

Substance | Heavy Metals	**Unit**	**Limit†**	**Found**	**Status**
Arsenic	µg/serving	15*	**0.138**	●
Cadmium	µg/serving	5*	**0.009**	●
Mercury	µg/serving	15*	**0.003**	●
Lead	µg/serving	5*	**0.027**	●

†Daily Limit | *USP | **LOQ = Limit of Quantitation

Substance | Microbiology	Unit	Limit	Found	Status
Total Plate Count	cfu/g	1000*	**120**	●
Yeast/Mold	cfu/g	100*	**<10**	●
Coliforms	cfu/g	-	**<10**	●
E. Coli	cfu/g	-	**<10**	●
Staphylococcus aureus	cfu/g	-	**<10**	●
Salmonella	cfu/g	-	**Undetected**	●
Shigella	cfu/g	-	**Undetected**	●

*USP

● Pass ● Fail ● Greater than 120% Label Claim ● Tested; Not Used in Grading

RELEASE DATE	RELEASED BY	LABORATORY
November 3, 2026	Labdoor	Advanced Labs