





301 Howard St, Suite 950  
San Francisco, CA • 94105  
[address](#)  
415.549.7339  
[phone](#)  
[labdoor.com](#)  
[site](#)

SAMPLE		CERTIFICATION
Manufacturer Name	Peak Performance	  <b>TESTED FOR PURITY</b>
Product Name	3 in 1 Advanced Magnesium	
Product LOT	20632	
Project ID	10136	
Expiration Date	N/A	
Sample Received	2 APR 2019	
Serving Size	3 capsules	

ANALYSIS				
Tested For	Methodology	Unit	Result	Purity Limit
<b>Heavy Metals</b>			<b>PASS</b>	
Arsenic	MQLTM-0278 by ICP-MS	mcg/serving	<b>0.021</b>	10
Cadmium	MQLTM-0278 by ICP-MS	mcg/serving	<b>0.033</b>	4.1
Lead	MQLTM-0278 by ICP-MS	mcg/serving	<b>0.102</b>	15
Mercury	MQLTM-0278 by ICP-MS	mcg/serving	<b>&lt;0.001</b>	0.3
<b>Microbiology</b>			<b>PASS</b>	
Yeast and Mold	TM-O1 (Modified USP61)	cfu/g	<b>&lt;10</b>	100
Salmonella	TM-O1 (Modified USP62)	in 10g	<b>Not Detected</b>	Not Detected
E. Coli	TM-O1 (Modified USP62)	in 10g	<b>Not Detected</b>	Not Detected
Staphylococcus aureus	TM-O1 (Modified USP62)	in 10g	<b>Not Detected</b>	Not Detected

RELEASE DATE	RELEASED BY	SIGNATURE
30 APR 2019	RD	

