






301 Howard Street • Suite 950
San Francisco, CA • 94105
[address](#)
(415) 549-7339
[phone](#)
labdoor.com
[site](#)

SAMPLE		CERTIFICATIONS
Manufacturer Name	Trace Minerals	  TESTED FOR ACCURACY  TESTED FOR PURITY
Product Name	Mega-Mag	
Product Lot	795	
Expiration Date	12/2024	
Sample Tested	March 02, 2020	
Serving Size	4 ml	

ANALYSIS				
Tested for Accuracy PASS				
Substance Active Ingredients	Unit	Claimed	Found	Status
Magnesium	mg/serving	400	412	●
Chloride	mg/serving	1100	1114	●
Tested for Purity PASS				
Substance Heavy Metals	Unit	Limit [†]	Found	Status
Lead	µg/serving	12.5*	3.08	●
Arsenic (Inorganic)	µg/serving	10**	0.00	●
Arsenic (Organic)	µg/serving	-	6.56	●
Cadmium	µg/serving	4.1**	Undetected	●
Mercury	µg/serving	0.3**	0.064	●

[†]Daily Limit | *FDA | **CA Prop 65

Substance Microbiology	Unit	Limit	Found	Status
Total Plate Count	cfu/g	1000*	<10	●
Yeast/Mold	cfu/g	100*	<10	●
Coliforms	cfu/g	10*	<10	●
E. Coli	cfu/g	-	Undetected	●
Pseudomonas	cfu/g	-	Undetected	●
Staphylococcus aureus	cfu/g	-	Undetected	●
Salmonella/Shigella	cfu/g	-	Undetected	●

*USP

RELEASE DATE	RELEASED BY	SIGNATURE
March 04, 2020	N.T.	

